

MARIJUANA TALLY SHEET C

C: ICD-10

_____ F6A.1,2,3, or 5 MJ6A_CC Continued to use marijuana knowing it caused emotional or psychological problems (COL. II=5)	
_____ F11C MJ11C_CC Marijuana caused accidental injuries 3+ times	BOX 1: _____

_____ F7 MJ7_CC Often wanted to stop or cut down on marijuana	
_____ F7B MJ7B_CC Tried but was unable to stop or cut down on marijuana 3+ times	
_____ F8 MJ8_CC Often used marijuana more frequently or in larger amounts than intended	
	BOX 2: _____

_____ F9 MJ9_CC Needed larger amounts of marijuana to get same effect or couldn't get high on amount used to use	
	BOX 3: _____

_____ F10B MJ10B_CC Used marijuana to relieve or avoid withdrawal symptoms 3+ times	
_____ F10C MJ10C_CC Experienced 2+ withdrawal symptoms	BOX 4: _____

_____ F5 MJ5_CC Great deal of time spent using marijuana, getting it, or getting over its effects for 1 month	
_____ F17A MJ17A_CC Gave up or greatly reduced important activities to use marijuana 3+ times or for 1 month	BOX 5: _____

_____ F16 MJ16_CC Strong desire for marijuana	BOX 6: _____
--	--------------

TOBACCO TALLY FOR SECTION D

DSM-IV

<p>TB4_CL ____ D4B</p> <p>TB10_CL ____ D10</p>	<p>Smoked 20+ cigarettes in a day at least twice a week</p> <p>Chain smoked for 7+ days</p>	<p>BOX 1: ____</p>
<p>TB11_CL ____ D11</p>	<p>Gave up or greatly reduced important activities because could not smoke</p>	<p>BOX 2: ____</p>
<p>TB12_CL ____ D12</p> <p>TB12A_CL ____ D12A</p>	<p>Often smoked a lot more than intended</p> <p>Often ran out of cigarettes sooner than intended</p>	<p>BOX 3: ____</p>
<p>TB14B_CL ____ D14</p> <p>TB14D_CL ____ D14D</p>	<p>Often wanted to quit or cut down on smoking</p> <p>Unable to stop or cut down 3+ times</p>	<p>BOX 4: ____</p>
<p>TB16A_CL ____ D16A</p> <p>TB16D_CL ____ D16D</p>	<p>Experienced 4 or more withdrawal symptoms in 24 hours after quitting or cutting down</p> <p>Smoked or used other source of nicotine to avoid withdrawal symptoms</p>	<p>BOX 5: ____</p>
<p>TB17B_CL ____ D17B</p> <p>TB18A_CL ____ D18A</p> <p>TB19D_CL ____ D19</p>	<p>Continued to smoke knowing it caused some emotional problems</p> <p>Continued to smoke knowing it caused physical health problems</p> <p>Continued to smoke despite serious physical illness</p>	<p>BOX 6: ____</p>
<p>TB20C_CL ____ D20C</p> <p>TB20D_CL ____ D20D</p>	<p>Needed to increase cigarette use by 50% or more</p> <p>Found smoking had less effect</p>	<p>BOX 7: ____</p>

ALCOHOL TALLY SHEET A

A: DSM-IIIIR

<input type="checkbox"/>	E9D AL9D_CA	Needed 50% more alcohol to get an effect	
<input type="checkbox"/>	E9I AL9I_CA	Could drink 50% more alcohol before getting drunk	BOX 1: <input type="text"/>

<input type="checkbox"/>	E10 AL10_CA	Wanted to stop or cut down 3+ times	
<input type="checkbox"/>	E10C AL10C_CA	Tried but was unable to stop or cut down	BOX 2: <input type="text"/>

<input type="checkbox"/>	E12C AL12C_CA	Drank more than intended, more days in row than intended, or when promised self wouldn't 3+ times	
<input type="checkbox"/>	E13B AL13B_CA	Became drunk when didn't want to 3+ times	BOX 3: <input type="text"/>

<input type="checkbox"/>	E14B AL14B_CA	Gave up or greatly reduced important activities to drink 3+ times or for 1+ month	
			BOX 4: <input type="text"/>

<input type="checkbox"/>	E15A AL15A_CA	Drinking or recovering from effects left little time for anything else for 1+ month or 3+ times	
			BOX 5: <input type="text"/>

<input type="checkbox"/>	E16B (B.1) AL16B_CA	Neglected responsibilities when bingeing 3+ times	
<input type="checkbox"/>	E21 AL21_CA	Mixed alcohol & medications/drugs when knew this was dangerous 3+ times	
<input type="checkbox"/>	E22B (B.1) AL22B_CA	Was drunk in situations where could have injured self 3+ times	
<input type="checkbox"/>	E23B (B.1) AL23B_CA	Arrested for drunk driving 3+ times	
<input type="checkbox"/>	E24B (B.1) AL24B_CA	Drinking and driving resulted in accident 3+ times	
<input type="checkbox"/>	E25 AL25_CA	Drinking or being hung over often interfered with responsibilities	
<input type="checkbox"/>	E29B (B.1) AL29B_CA	Alcohol caused accidental injuries 3+ times	BOX 6: <input type="text"/>

<input type="checkbox"/>	E26A.1 AL26A1CA	Drinking caused problems with family or friends 3+ times (COL II=5)	
<input type="checkbox"/>	E26A.2 AL26A1CA	Lost friends because of drinking 3+ times (COL II=5)	
<input type="checkbox"/>	E26A.3 AL26A1CA	Drinking caused problems with work/school 3+ times (COL II=5)	
<input type="checkbox"/>	E27C AL27C_CA	Drank knowing it caused problems with love relationships	
<input type="checkbox"/>	E28B (B.1) AL28B_CA	Arrested/detained by police for drunk behavior 3+ times	
<input type="checkbox"/>	E31B AL31B_CA	Continued to drink knowing alcohol caused health problems	
<input type="checkbox"/>	E32 AL32_CA	Continued to drink despite serious physical illness	
<input type="checkbox"/>	E33A AL33A_CA	Continued to drink knowing alcohol caused emotional problems	BOX 7: <input type="text"/>

<input type="checkbox"/>	E37D AL37D_CA	Experienced withdrawal symptoms (shakes + 1 from Column II)	
<input type="checkbox"/>	E38 AL38_CA	Had fits or seizures from drinking	
<input type="checkbox"/>	E39 AL39_CA	Had the DT's from drinking	BOX 8: <input type="text"/>

<input type="checkbox"/>	E37I AL37I_CA	Drank to relieve or avoid withdrawal symptoms 3+ occasions	
<input type="checkbox"/>	E38C AL38C_CA	Drank to relieve or avoid fits or seizures 3+ times	
<input type="checkbox"/>	E39C AL39C_CA	Drank to relieve or avoid the DT's 3+ times	BOX 9: <input type="text"/>

ALCOHOL TALLY SHEET B

B: DSM-IV

_____ E9D AL9D_CB Needed 50% more alcohol to get an effect
_____ E9I AL9I_CB Could drink 50% more alcohol before getting drunk BOX 1: _____

_____ E10 AL10_CB Wanted to stop or cut down 3+ times
_____ E10D (D.1) AL10D_CB Tried but was unable to stop or cut down
3+ times BOX 2: _____

_____ E12C AL12C_CB Drank more than intended, more days in row than
intended, or when promised self wouldn't 3+ times
_____ E13B AL13B_CB Became drunk when didn't want to 3+ times BOX 3: _____

_____ E14B AL14B_CB Gave up or greatly reduced important activities
to drink 3+ times or for 1+ month BOX 4: _____

_____ E15A AL15A_CB Drinking or recovering from effects left little time for
anything else for 1+ month or 3+ times BOX 5: _____

_____ E31B AL31B_CB Continued to drink knowing alcohol caused health
problems
_____ E32 AL32_CB Continued to drink despite serious physical illness
_____ E33A AL33A_CB Continued to drink knowing alcohol caused emotional
problems BOX 6: _____

_____ E37D AL37D_CB Experienced 2+ withdrawal symptoms from Column III
_____ E37I AL37I_CB Drank to relieve or avoid withdrawal symptoms 3+ times
_____ E38 AL38_CB Had fits or seizures from drinking
_____ E38C AL38C_CB Drank to relieve or avoid fits or seizures 3+ times
_____ E39 AL39_CB Had the DT's from drinking
_____ E39C AL39C_CB Drank to relieve or avoid the DT's 3+ times BOX 7: _____

ALCOHOL TALLY SHEET C

C: ICD-10

E9D AL9D_CC
E9I AL9I_CC

Needed 50% more alcohol to get an effect
Could drink 50% more alcohol before getting drunk

BOX 1: _____

E10 AL10_CC
E10D (D.1) AL10D_CC
E12C AL12C_CC

Wanted to stop or cut down 3+ times
Tried but was unable to stop or cut down 3+ times
Drank more than intended, more days in a row than intended, or when promised self wouldn't 3+ times

E13B AL13B_CC

Became drunk when didn't want to 3+ times

BOX 2: _____

E14B AL14B_CC

Gave up or greatly reduced important activities to drink 3+ times or for 1+ month

E15A AL15A_CC

Drinking or recovering from effects left little time for anything else for 1+ month or 3+ times

E16B (B.1) AL16B_CC

Neglected responsibilities when bingeing 3+ times

BOX 3: _____

E19 AL19_CC

Strong desire for alcohol

BOX 4: _____

E21D AL21D_CC
E29B (B.1) AL29B_CC
E31B AL31B_CC
E32 AL32_CC
E33A AL33A_CC

Negative effects from mixing alcohol and drugs when knew dangerous
Alcohol caused accidental injuries 3+ times
Continued to drink knowing alcohol caused health problems
Continued to drink despite serious physical illness
Continued to drink knowing alcohol caused emotional problems

BOX 5: _____

E37D AL37D_CC
E37I AL37I_CC
E38 AL38_CC
E38C AL38C_CC
E39 AL39_CC
E39C AL39C_CC

Experienced 3+ withdrawal symptoms from Column IV
Drank to relieve or avoid withdrawal symptoms 3+ times
Had fits or seizures from drinking
Drank to relieve or avoid fits or seizures 3+ times
Had the DT's from drinking
Drank to relieve or avoid the DT's 3+ times

BOX 6: _____

MARIJUANA TALLY SHEET A

A: DSM-III-R

_____ F5 MJ5_CA	Great deal of time spent using marijuana, getting it, or getting over its effects for 1 month or more	BOX 1: _____
-----------------	---	--------------

_____ F7 MJ7_CA	Often wanted to stop or cut down on marijuana	BOX 2: _____
_____ F7A MJ7A_CA	Tried but was unable to stop or cut down on marijuana	

_____ F8 MJ8_CA	Often used marijuana more frequently or in larger amounts than intended	BOX 3: _____
-----------------	---	--------------

_____ F9 MJ9_CA	Needed larger amounts of marijuana to get same effect or couldn't get high on amount used to use	BOX 4: _____
-----------------	--	--------------

_____ F10B MJ10B_CA	Used marijuana to relieve or avoid withdrawal symptoms 3+ times	BOX 5: _____
---------------------	---	--------------

_____ F10C MJ10C_CA	Experienced 2+ withdrawal symptoms	BOX 6: _____
---------------------	------------------------------------	--------------

_____ F11A MJ11_CA	High from marijuana when could have injured self 3+ times	BOX 7: _____
_____ F11C MJ11_CA	Marijuana caused accidental injuries 3+ times	
_____ F14 MJ14_CA	Marijuana often interfered with responsibilities	

_____ F6A.1,2,3,4, or 5 MJ6A_CA	Continued to use marijuana knowing it caused any emotional or psychological problem or decreased contact with family/friends (COL II=5)	BOX 8: _____
_____ F12B MJ12B_CA	Continued to use marijuana despite problems with family/friends	
_____ F13A MJ13A_CA	Trouble with police 3+ times	

_____ F17A MJ17A_CA	Gave up or greatly reduced important activities to use marijuana 3+ times or for 1 month	BOX 9: _____
---------------------	--	--------------

MARIJUANA TALLY SHEET B

B: DSM-IV

_____ F5 **MJ5_CB** Great deal of time spent using marijuana, getting it, or getting over its effects for 1 month or more

BOX 1: _____

_____ F6A.1,2,3, or 5 **MJ6A_CB**

Continued to use marijuana knowing it caused emotional or psychological problems (COL II=5)

BOX 2: _____

_____ F7 **MJ7_CB** Often wanted to stop or cut down on marijuana

_____ F7B **MJ7B_CB** Tried but was unable to stop or cut down on marijuana 3+ times

BOX 3: _____

_____ F8 **MJ8_CB** Often used marijuana more frequently or in larger amounts than intended

BOX 4: _____

_____ F9 **MJ9_CB** Needed larger amounts of marijuana to get same effect or couldn't get high on amount used to use

BOX 5: _____

_____ F10B **MJ10B_CB** Used marijuana to relieve or avoid withdrawal symptoms 3+ times

_____ F10C **MJ10C_CB** Experienced 2+ withdrawal symptoms

BOX 6: _____

_____ F17A **MJ17A_CB** Gave up or greatly reduced important activities to use marijuana 3+ times or for 1 month

BOX 7: _____

DRUG TALLY SHEET A

A: DSM-III-R		COCAINE	STIM.	SED.	OPIATE	OTHER
G6A	Month or more spent using, getting, or getting over effects of (DRUG)	DR6_A1	DR6_A2	DR6_A3	DR6_A4	DR6_A5
G7	Often wanted to stop or cut down on (DRUG)	DR7_A1	DR7_A2	DR7_A3	DR7_A4	DR7_A5
G7A	Tried to stop or cut down on (DRUG) but couldn't	DR7A_A1	DR7A_A2	DR7A_A3	DR7A_A4	DR7A_A5
G8	Needed larger amounts of (DRUG) to get effect or couldn't get high on same amount	DR8_A1	DR8_A2	DR8_A3	DR8_A4	DR8_A5
G9A	Gave up or reduced important activities to use (DRUG) 3+ times or for 1 month	DR9A_A1	DR9A_A2	DR9A_A3	DR9A_A4	DR9A_A5
G10	Often used (DRUG) more days or in larger amounts than intended	DR10_A1	DR10_A2	DR10_A3	DR10_A4	DR10_A5
G11B	Experienced withdrawal from (DRUG)	DR11B_A1	DR11B_A2	DR11B_A3	DR11B_A4	DR11B_A5
G11E.2	Used (DRUG) to relieve or avoid withdrawal symptoms 3+ times	DR11E2A1	DR11E2A2	DR11E2A3	DR11E2A4	DR11E2A5
G12A.2	(DRUG) caused an overdose 3+ times	DR12A2A1	DR12A2A2	DR12A2A3	DR12A2A4	DR12A2A5
G12B.1	Continued to use (DRUG) knowing it caused hepatitis	DR12B1A1	DR12B1A2	DR12B1A3	DR12B1A4	DR12B1A5
G12C.1	Continued to use (DRUG) knowing it caused other health problems	DR12C1A1	DR12C1A2	DR12C1A3	DR12C1A4	DR12C1A5
G13D	Continued to use (DRUG) knowing it caused (objections/fights)	DR13D_A1	DR13D_A2	DR13D_A3	DR13D_A4	DR13D_A5
G14B	Continued to use (DRUG) knowing it caused problems with police	DR14B_A1	DR14B_A2	DR14B_A3	DR14B_A4	DR14B_A5
G18A	Continued to use (DRUG) knowing it caused emotional or psychological problem	DR18A_A1	DR18A_A2	DR18A_A3	DR18A_A4	DR18A_A5
G15A	(DRUG) caused accidental injuries 3+ times	DR15A_A1	DR15A_A2	DR15A_A3	DR15A_A4	DR15A_A5
G16	(DRUG) often interfered with responsibilities	DR16_A1	DR16_A2	DR16_A3	DR16_A4	DR16_A5
G17	High on (DRUG) when could have gotten hurt 3+ times	DR17_A1	DR17_A2	DR17_A3	DR17_A4	DR17_A5

DRUG TALLY SHEET B

B: DSM-IV	COCAINE	STIM.	SED.	OPIATE	OTHER	
G6	A month or more spent using, getting, or getting over effects of (DRUG)	DR6_B1	DR6_B2	DR6_B3	DR6_B4	DR6_B5
G7	Often wanted to stop or cut down on (DRUG)	DR7_B1	DR7_B2	DR7_B3	DR7_B4	DR7_B5
G7B	Tried to stop or cut down on (DRUG) but couldn't 3+ times	DR7B_B1	DR7B_B2	DR7B_B3	DR7B_B4	DR7B_B5
G8	Needed larger amounts of (DRUG) to get effect or couldn't get high on same amount.....	DR8_B1	DR8_B2	DR8_B3	DR8_B4	DR8_B5
G9A	Gave up or reduced important activities to use (DRUG) 3+ times or for 1 month	DR9A_B1	DR9A_B2	DR9A_B3	DR9A_B4	DR9A_B5
G10	Often used (DRUG) more days or in larger amounts than intended	DR10_B1	DR10_B2	DR10_B3	DR10_B4	DR10_B5
G11B	Experienced withdrawal from (DRUG)	DR11B_B1	DR11B_B2	DR11B_B3	DR11B_B4	DR11B_B5
G11E.2	Used (DRUG) to relieve or avoid withdrawal symptoms 3+times	DR11E2B1	DR11E2B2	DR11E2B3	DR11E2B4	DR11E2B5
G12A.2	(DRUG) caused an overdose 3+ times	DR12A2B1	DR12A2B2	DR12A2B3	DR12A2B4	DR12A2B5
G12B.1	Continued to use (DRUG) knowing it caused hepatitis	DR12B1B1	DR12B1B2	DR12B1B3	DR12B1B4	DR12B1B5
G12C.1	Continued to use (DRUG) knowing it caused other health problems	DR12C1B1	DR12C1B2	DR12C1B3	DR12C1B4	DR12C1B5
G18A	Continued to use (DRUG) knowing it caused emotional/psychological problems	DR18A_B1	DR18A_B2	DR18A_B3	DR18A_B4	DR18A_B5

DRUG TALLY SHEET C

C: ICD-10		COCAINE	STIM.	SED.	OPIATE	OTHER
G5	Strong desire for (DRUG) that hard to think of anything else	DR5_C1	DR5_C2	DR5_C3	DR5_C4	DR5_C5
G6	A month or more spent using, getting, or getting over effects of (DRUG).....	DR6_C1	DR6_C2	DR6_C3	DR6_C4	DR6_C5
G9A	Gave up or reduced important activities to use (DRUG) 3+ times or for 1 month	DR9A_C1	DR9A_C2	DR9A_C3	DR9A_C4	DR9A_C5
G7	Often wanted to stop or cut down on (DRUG)	DR7_C1	DR7_C2	DR7_C3	DR7_C4	DR7_C5
G7B	Tried to stop or cut down on (DRUG) but couldn't 3+ times.....	DR7B_C1	DR7B_C2	DR7B_C3	DR7B_C4	DR7B_C5
G10	Often used (DRUG) more days or in larger amounts than intended	DR10_C1	DR10_C2	DR10_C3	DR10_C4	DR10_C5
G8	Needed larger amounts of (DRUG) to get effect or couldn't get high on same amount	DR8_C1	DR8_C2	DR8_C3	DR8_C4	DR8_C5
G11B	Experienced withdrawal from (DRUG)	DR11B_C1	DR11B_C2	DR11B_C3	DR11B_C4	DR11B_C5
G11E.2	Used (DRUG) to relieve or avoid withdrawal symptoms 3+ times.....	DR11E2C1	DR11E2C2	DR11E2C3	DR11E2C4	DR11E2C5
G12A.2	(DRUG) times caused an overdose 3+ times	DR12A2C1	DR12A2C2	DR12A2C3	DR12A2C4	DR12A2C5
G12B.1	Continued to use (DRUG) knowing it caused hepatitis	DR12B1C1	DR12B1C2	DR12B1C3	DR12B1C4	DR12B1C5
G12C.1	Continued to use (DRUG) knowing it caused other health problems	DR12C1C1	DR12C1C2	DR12C1C3	DR12C1C4	DR12C1C5
G15A	(DRUG) caused accidental injuries 3+ times	DR15A_C1	DR15A_C2	DR15A_C3	DR15A_C4	DR15A_C5
G18A	Continued to use (DRUG) knowing it caused emotional/psychological problems	DR18A_C1	DR18A_C2	DR18A_C3	DR18A_C4	DR18A_C5

TALLY SHEET FOR SECTION I

DSM-III-R, DSM-IV		CURRENT (PAST MONTH)	MOST SEVERE
Box A: DEPRESSED	I12	Felt depressed for 2+ weeks	_____ DPA12_C DPB12_C
	I12B	Felt irritable for 2+ weeks	_____ DPA12B_C DPB12B_C
Box B: LOSS OF INTEREST	I12A	Lost interest in most things for 2+ weeks	_____ DPA12A_C DPB12A_C
	I18	Less able to enjoy sex or other pleasurable activities	_____ DPA18_C DPB18_C
Box C: APPETITE/ WEIGHT	I14A	Had a change in appetite	_____ DPA14A_C DPB14A_C
	I14B	Gained or lost weight	_____ DPA14B_C DPB14B_C
Box D: SLEEPING	I15B	Unable to fall asleep (\geq 1 hr.)	_____ DPA15B_C DPB15B_C
	I15C	Trouble sleeping through the night	_____ DPA15C_C DPB15C_C
	I15E	Waking up an hour earlier than usual	_____ DPA15E_C DPB15E_C
	I15F	Slept more than usual	_____ DPA15F_C DPB15F_C
Box E: RESTLESS/ SLOWED DOWN	I16	Was fidgety or restless	_____ DPA16_C DPB16_C
	I17	Moved or talked slower	_____ DPA17_C DPB17_C
Box F: TIRED	I19	Felt a loss of energy or more tired than usual	_____ DPA19_C DPB19_C
Box G: GUILT	I20	Felt excessively guilty or bad about self	_____ DPA20_C DPB20_C
	I21	Felt was a failure or worthless	_____ DPA21_C DPB21_C
Box H: THINKING	I22	Had more difficulty than usual thinking, concentrating, or making decisions	_____ DPA22_C DPB22_C
Box I: THOUGHTS OF DYING	I23	Thought about dying/wishing was dead	_____ DPA23_C DPB23_C
	I23A	Made suicide plan	_____ DPA23A_C DPB23A_C
	I23B	Attempted suicide	_____ DPA23B_C DPB23B_C

TALLY SHEET FOR SECTION M

PART A

ONLY COUNT ITEMS CODED 5 OR 6.

- ___ M1B Truant from school twice in one year (ONSET BEFORE AGE 13) [AS1B_C](#)
- ___ M3B Ran away from home more than once [AS3B_C](#)
- ___ M3C(=1) Ran away and did not return home [AS3C_C](#)
- ___ M3C.1 Ran away for 7 or more days [AS3C1_C](#)
- ___ M4B Stayed out later than supposed to (BEFORE AGE 13) [SAS4B_C](#)
- ___ M5B Sneaked out of the house (BEFORE AGE 13) [AS5B_C](#)
- ___ M6,6B Started fights 3+ times [AS6_C](#)
- ___ M9 Was a bully [AS9_C](#)
- ___ M10 Hurt animals on purpose [AS10_C](#)
- ___ M11,11A/B Told a lot of lies, lied to get out of trouble, or used an alias [AS11_C](#)
- ___ M13,13A Cheated often [AS13_C](#)
- ___ M14 Stole money or things from family or friends [AS14_C](#)
- ___ M14B Shoplifted or stole from others without their knowing it [AS14B_C](#)
- ___ M14D Forged a signature on check or credit card [AS14D_C](#)
- ___ M15 Broke into someone's home, car, or building [AS15_C](#)
- ___ M16 Stole money or property by using force or threatening [AS16_C](#)
- ___ M17A Set fires on purpose (in order to cause damage) [AS17A_C](#)
- ___ M18 Damaged property on purpose [AS18_C](#)
- ___ M19 Injured someone on purpose [AS19_C](#)
- ___ M20 Used a weapon [AS20_C](#)
- ___ M21 Forced someone into sexual activity [AS21_C](#)
-

PART B

ONLY COUNT ITEMS CODED 5 OR 6 AND ONLY IF BEHAVIOR OCCURRED AFTER 15TH BIRTHDAY

- ___ M6,6B Started fights 3+ times
- ___ M6D Has been in 3+ physical fights
- ___ M9 Was a bully
- ___ M10 Hurt animals on purpose
- ___ M14 Stole money or things from family or friends
- ___ M14B Shoplifted or stole from others without their knowing it
- ___ M14D Forged signature on check or credit card
- ___ M15 Broke into someone's home, car, or building
- ___ M16 Stole money or property by using force or threatening
- ___ M17A Set fires on purpose (in order to cause damage)
- ___ M18 Damaged property on purpose
- ___ M19 Injured someone on purpose
- ___ M20 Used a weapon
- ___ M21 Forced someone into sexual activity
- ___ M25A-F Did not provide for child/family when supposed to
- ___ M27 Often hit or assaulted others

_____ M36B Never faithful for 1 year
